

Sanding tools and accessories





KWH Mirka Ltd is part of the KWH Group and the biggest manufacturer of coated abrasives in Scandinavia. Through its innovative research and development program, Mirka has become a specialist in flexible abrasives, as well as revolutionary, patented abrasives which allow customers to enjoy a truly dust-free surface finishing process.

Mirka has invested heavily in product development and the company has expanded from a leading abrasive producer into a developer and manufacturer of complete sanding systems. These innovations are further backed by the creation of ground-breaking new coatings production processes. The wide range includes advanced products designed to efficiently tackle specialised applications for both professionals and DIY, as well as products that have been specially developed for the most demanding operations.

The recently established Mirka Power Tools unit develops and manufactures advanced sanding and polishing machines providing outstanding benefits to users. These innovatively designed tools combined with a range of effective, high quality accessories, give Mirka's customers unmatched access to a complete sanding solution to meet their individual needs.

Mirka is a globally expanding company with subsidiaries located in Europe, North and South America and Asia. Head quarters and production are located in Finland. More than 90% of our products are exported and sold in more than 80 countries.

Mirka is the first company in its sector to obtain the three most important quality standards. The production process guarantees reliable quality by following the ISO 9001 quality assurance system. The OHSAS 18001 occupational health and safety management system ensures a high level of work safety. The ISO 14001 environmental management system proves that we consider the environment in all our activities.



CONTENT



Compact Electric Random Orbital sanders	
125 mm	4
150 mm	5
CEROS accessories	6
Random Orbital Sanders	
77 mm	7
125 mm	8
150 mm	9
150 mm + 32 mm	10
Two-handed Sanders	
125 mm	11
150 mm	12
Orbital Sanders	
70 x 198 mm	13
75 x 100 mm	14
81 x 133 mm	15
Accessories for ROS, ROS2 and OS Sanders	16
Vacuum Cleaner	17
Vacuum cleaner accessories	18
Backing Pads, Velcro	19
Backing Pads for net sanding, Velcro / Backing Pads PSA	20
Backing Pads / Interfaces / Pad Saver Strips	21
Pad Saver Discs / Vacuum Block Discs / Pad Saver Strips	22
Interface / Multi Interface for net sanding /	
Interface for Hand Sanding Blocks	23
Hand Sanding Blocks / Accessories for Hand Sanding Blocks	24
Curved Pads for Hand Sanding Blocks /	
Two-handed Sanding Blocks	25
DecoSander / DecoSander accessories	26
Miro	27
Miro accessories	28
Polishers / Polisher accessories	29
Two-handed Orbital Sanders	30
Two-handed Rotary Polisher	31
Backing Pads for polishing, Velcro	32
Polishing Products	33
Soft Sanding Pads / Dry Guide Coat / Spontape	34
Files / Tools for Roses	35
Hand Pads / Tools for Hand Sanding	36



> COMPACT ELECTRIC RANDOM ORBITAL SANDER

Mirka has developed a **Compact Electric Random Orbital Sander** in line with its aim to provide all customers with access to a total sanding solution. Its unique design (patent pending) means it offers superior versatility and performance in a compact, lightweight package. The optimized ergonomics ensure it's comfortable to grip, while the low profile design and very light weight allow easy manoeuvrability and greater control over the end finish. It requires no special pads and is compatible with Mirka's regular backing pads.

Mirka Compact Electric Random Orbital Sander 125 mm (5")

Model	Mirka® CEROS550CV
Code	MIM5502011 MIM5502011CA
Size	125 mm (5")
Power	350 W
Voltage main supply	90 – 240 VAC
DC voltage to sander	22 VDC
Speed	4,000 – 10,000 rpm
Orbit	5,0 mm
Weight	870 g
Noise level	68 dB
Size of pad	125 mm (5")
Packaging	MIM5502011 packed in cardboard box MIM5502011CA packed in plastic case



MIM5502011
MIM6252011
MIM6502011
MIM6802011



MIM5502011CA
MIM6502011CA



> **COMPACT ELECTRIC RANDOM ORBITAL SANDER**

The ultra-reliable hermetic brushless motor is powerful enough to maintain a constant speed under load. It is also virtually silent in operation and cheap to run. It has few wearing components so the need for maintenance is minimized and its lifespan is long.



Mirka Compact Electric Random Orbital Sander 150 mm (6")

Model	Mirka® CEROS625CV	Mirka® CEROS650CV	Mirka® CEROS680CV
Code	MIM6252011	MIM6502011 MIM6502011CA	MIM6802011
Size	150 mm (6")	150 mm (6")	150 mm (6")
Power	350 W	350 W	350 W
Voltage main supply	90 – 240 VAC	90 – 240 VAC	90 – 240 VAC
DC voltage to sander	22 VDC	22 VDC	22 VDC
Speed	4,000 – 10,000 rpm	4,000 – 10,000 rpm	4,000 – 10,000 rpm
Orbit	2,5 mm	5,0 mm	8,0 mm
Weight	920 g	920 g	940 g
Noise level	68 dB	68 dB	68 dB
Size of pad	150 mm (6")	150 mm (6")	150 mm (6")
Packaging	MIM6252011, MIM6502011 and MIM6802011 packed in cardboard box MIM6502011CA packed in plastic case (see pictures on previous page)		



MIM5502011

MIM6252011

MIM6502011

MIM6802011



CEROS accessories



DC Power supply
Code: MIN6522511



Brackets kit for Power supply
Code: MIN6519111



Pad Wrench
Code: 8993008011



Mains cable CE 230 V
Code: MIN6516011



Vacuum hose Ø 25,4 mm x 4 m
Code: MIN6519411



DC extension cord 10 m
Code: MIN6512211

DC extension cord 4 m
Code: MIN6519611



Velcro straps kit 6 pcs
Code: MIN6529211



Plastic case for CEROS machines
Code: MIN6530011



25,4/25,4 mm Hose Swivel Adapter
Code: 8993022811

For information about spare parts for our machines, please visit www.mirka.com.

> RANDOM ORBITAL SANDERS

Mirka sanding machines are effective and durable tools for professional sanding. These ergonomically designed sanding machines are built for maximum dust extraction even at low suction power. Lightweight hi-tech materials are used in the production, in order to combine optimal strength and user comfort. The machine is able to perform at 12 000 rpm maximum effect, despite the low soundlevel.



Random Orbital Sanders 77 mm (3")

Model	Mirka® ROS325NV	Mirka® ROS325CV	Mirka® ROS325DB
Code	8993320111	8993325111	8993425111
Size	77 mm (3")	77 mm (3")	77 mm (3")
Weight	510 g	570 g (sander) 400 g (hose)	590 g (sander) 600 g (hose + dustbag)
Air consumption	481 l/min	481 l/min	481 l/min
Workpressure	6, 2 Bar	6, 2 Bar	6, 2 Bar
Sound level	80 dBa	80 dBa	84 dBa
Power	240 W	240 W	240 W
Speed RPM	12000 rpm	12000 rpm	12000 rpm
Orbit	2, 5 mm	2, 5 mm	2, 5 mm
Pad	77 mm velcro N H (1/4")	77 mm velcro 3 H (1/4") + Pad Saver	77 mm velcro 3 H (1/4") + Pad Saver
Dust system	Non vacuum	Central vacuum ready	Self generated vacuum



ROS325NV

ROS325CV



ROS325DB



> RANDOM ORBITAL SANDERS

- Light
- Ergonomically designed
- Constructed of precision molded composites
- Manufactured of high tech materials that provide strength and durability
- Good weight/effect relation
- Low soundlevel
- Ideal for fine sanding operations
- Isolation prevents "white fingers"

Random Orbital Sanders 125 mm (5")

Model	Mirka® ROS550CV	Mirka® ROS525CV	Mirka® ROS550DB
Code	8992700111	8992725111	8992800111
Size	125 mm (5")	125 mm (5")	125 mm (5")
Weight	780 g	780 g	830 g (sander) 600 g (hose+dustbag)
Air consumption	481 l/min	481 l/min	481 l/min
Workpressure	6, 2 Bar	6, 2 Bar	6,2 Bar
Sound level	79 dBa	79 dBa	85 dBa
Power	240 W	240 W	240 W
Speed RPM	12000 rpm	12000 rpm	12000 rpm
Orbit	5 mm	2, 5 mm	5 mm
Pad for net sanding	125 mm velcro 5/16" med. + Pad Saver 44 H	125 mm velcro 5/16" med. + Pad Saver 44 H	125 mm (5") velcro 5/16" med. + Pad Saver 44 H
Dust system	Central vacuum ready	Central vacuum ready	Self generated vacuum



ROS550CV



ROS525CV



ROS550DB



Random Orbital Sanders 150 mm (6")

Model	Mirka® ROS650CV	Mirka® ROS625CV
Code	8993000111	8993025111
Size	150 mm (6")	150 mm (6")
Weight	850 g	850 g
Air consumption	481 l/min	481 l/min
Workpressure	6, 2 Bar	6, 2 Bar
Sound level	77 dBa	83 dBa
Power	240 W	240 W
Speed RPM	12000 rpm	12000 rpm
Orbit	5 mm	2,5 mm
Pad for net sanding	150 mm velcro 5/16" med. + Pad Saver 51 H	150 mm velcro 5/16" med. + Pad Saver 51 H
Dust system	Central vacuum ready	Central vacuum ready



ROS650CV



ROS625CV





> RANDOM ORBITAL SANDERS

Random Orbital Sanders 150 mm (6"), 32 mm (1 ¼")

Model	Mirka® ROS650DB	Mirka® ROS625DB	Mirka® ROS125NV
Code	8993200111	8993225111	8992400111
Size	150 mm (6")	150 mm (6")	32 mm (1 ¼")
Weight	880 g (sander) 600 g (hose+dustbag)	880 g (sander) 600 g (hose+dustbag)	480 g
Air consumption	481 l/min	481 l/min	425 l/min
Workpressure	6, 2 Bar	6, 2 Bar	6,2 Bar
Sound level	85 dBa	83 dBa	67 dBa
Power	240 W	240 W	112 W
Speed RPM	12000 rpm	12000 rpm	8000 rpm
Orbit	5 mm	2, 5 mm	2,5 mm
Pad for net sanding	150 mm velcro 5/16" med. + Pad Saver 51 H	150 mm velcro 5/16" med. + Pad Saver 51 H	1 pcs 34 mm velcro ¼" 1 pcs 32 mm PSA
Dust system	Self generated vacuum	Self generated vacuum	Non vacuum



ROS650DB



ROS125NV



ROS625DB

> PNEUMATIC TWO-HANDED SANDERS

These feature-packed machines combine heavy duty performance and durability with low profile, light weight and ergonomic styling that makes them easy to handle and control



Two-handed Random Orbital Sander 125 mm (5")

Model	Mirka® ROS2-550CV	Mirka® ROS2-510CV
Code	8994550111	8994510111
Size	125 mm (5")	125 mm (5")
Weight	1210 g	1250 g
Air consumption	594	594
Power	343 W	343 W
Speed	12,000 rpm	12,000 rpm
Orbit	5,0 mm	10,0 mm
Pad	125 mm (5") Velcro 5/16"	125 mm (5") Velcro 5/16"
Dust system	Central vacuum ready	Central vacuum ready



ROS2-550CV
ROS2-510CV



Two-handed Random Orbital Sander 150 mm (6")

Model	Mirka® ROS2-650CV	Mirka® ROS2-610CV
Code	8994650111	8994610111
Size	150 mm (6")	150 mm (6")
Weight	1270 g	1320 g
Air consumption	594	594
Power	343 W	343 W
Speed	12,000 rpm	12,000 rpm
Orbit	5,0 mm	10,0 mm
Pad	150 mm (6") Velcro 5/16"	150 mm (6") Velcro 5/16"
Dust system	Central vacuum ready	Central vacuum ready



ROS2-650CV
ROS2-610CV

> ORBITAL SANDERS

Mirka orbital sanders are ergonomically designed and constructed of precision molded composites. The orbital sanders are manufactured of lightweight hi-tech materials that provide optimal strength and guaranteed user comfort.

Mirka orbital sanders are developed especially for sanding with Abranet.



Orbital Sander 70 x 198 mm (3 x 8")

Model	Mirka® OS383CV
Code	8991500111
Size	70 x 198 mm (3 x 8")
Weight	960 g
Air consumption	453 l/min
Work pressure	6,2 Bar
Sound level	75 dBA
Power	179 W
Speed OPM	10 000 opm
Orbit	3 mm
Pad	70 x 198 mm Velcro 56 H + Pad Saver
Dust system	Central vacuum ready





> ORBITAL SANDERS

Mirka orbital sanders are ergonomically designed and constructed of precision molded composites. The orbital sanders are manufactured of lightweight hi-tech materials that provide optimal strength and guaranteed user comfort.

Mirka orbital sanders are developed especially for sanding with Abranet.

Orbital Sanders 75 x 100 mm (3 x 4")

Model	Mirka® OS343CV	Mirka® OS343DB
Code	8991600111	8991610111
Size	75 x 100 mm (3 x 4")	75 x 100 mm (3 x 4")
Weight	720 g	720 g (sander) + 600 g (hose + dustbag)
Air consumption	453 l/min	453 l/min
Work pressure	6,2 Bar	6,2 Bar
Sound level	76 dBA	81 dBA
Power	179 W	179 W
Speed OPM	10 000 opm	10 000 opm
Orbit	3 mm	3 mm
Pad	75 x 100 mm velcro 33 H + Pad Saver	75 x 100 mm velcro 33 H + Pad Saver
Dust system	Central vacuum ready	Self generated vacuum



OS343CV



OS343DB



Orbital Sanders 81 x 133 mm (3 x 5")

Model	Mirka® OS353CV	Mirka® OS353DB
Code	8991800111	8991810111
Size	81 x 133 mm (3 x 5")	81 x 133 mm (3 x 5")
Weight	850 g	850 g (sander) + 600 g (hose + dustbag)
Air consumption	453 l/min	453 l/min
Work pressure	6,2 Bar	6,2 Bar
Sound level	73 dBa	84 dBa
Power	179 W	179 W
Speed OPM	10 000 opm	10 000 opm
Orbit	3 mm	3 mm
Pad	81 x 133 mm velcro 54 H + Pad Saver	81 x 133 mm velcro 54 H + Pad Saver
Dust system	Central vacuum ready	Self generated vacuum



OS353CV



OS353DB



Accessories for ROS, ROS2 and OS Sanders



**28 mm hose 1,8 m
for 125 / 150 mm ROS, ROS2
and OS DB**
Code: 8993006711



**19 mm hose 1,5 m
for 77 mm ROS and
OS CV**
Code: 8993306711



**Dustbag Nylon
for DB-machines**
Code: 8993206011



**Disposable Dustbag paper
10-pack for DB-machines**
Code: 8993206511
10 pcs/pack



**Vacuum hose support belt
for DB-machines**
Code: 8993030011



**Oil bottle for Pneumatic
machines, 10 ml**
Code: 8993030111



Pad wrench for 77 mm ROS
Code: 8993008012



**Pad wrench for
125 / 150 mm ROS**
Code: 8993008011

For information about spare parts for our machines, please visit www.mirka.com.

> VACUUM CLEANER

This industrial vacuum cleaner is designed for dust-free sanding in combination with both electrical and pneumatic machines, hand-sanding blocks, the Mirka Deco Sander and dry wall sander Miro 955. The vacuum cleaner can also be used for cleaning workrooms. The vacuum cleaner has adjustable suction and automatic electrical start. The hose connection is earthed in order to eliminate static electricity in the hose. This vacuum cleaner should always be used with Mirka antistatic hoses.



Vacuum Cleaner

Technical data	915 (230 V)	915 M (230 V)
Code	8999700111	8999750111
Voltage	230 Volt	230 Volt
Mains frequency	50/60 Hz	50/60 Hz
Power consumption	1200 Watt	1200 Watt
Volume flow (air)	3700 l/min	3700 l/min
Vacuum	250 mbar	250 mbar
Sound level	59 dB(A)	59 dB(A)
Tank volume	30 l	30 l
Dimension L x W x H	450 x 360 x 600 mm	450 x 360 x 600 mm
Weight	10 kg	10 kg



915



915 M





Vacuum Cleaner accessories



Fleece dustbag
(5 pcs/package)
Code: 8999700211



Filter for cleaner
Code: 8999600411



Coaxial hose 32 mm x 5,5 m
Code: 8992514511



Pneumatic box 915
Code: 8999701011



Dual operator kit
Code: 8992510211



Vacuum dual operator kit
Code: 8992510311

For information about spare parts for our vacuum cleaners, please visit www.mirka.com



Backing Pads, Velcro

Code	Product		
8294591311	34 mm (1 5/16")	¼" no holes Medium	packed 10 pcs/bag
8294791311	77 mm (3")	¼" no holes Medium	
8294791211	77 mm (3")	¼" 3 holes Medium + pad saver	
8295191511	125 mm (5")	5/16" no holes Medium	
8295192111	125 mm (5")	5/16" 5 holes Medium	
8295297111	150 mm (6")	5/16" no holes Medium	
8295292111	150 mm (6")	5/16" 6 holes Medium	
8295290111	150 mm (6")	5/16" 6+1 holes Medium	
8297292111	150 mm (6")	5/16" 6 holes Soft	





> BACKING PADS

Backing Pads for net sanding, Velcro

Code	Product
8295592111	125 mm (5") 5/16" 44 holes Medium + pad saver
8297592111	125 mm (5") 5/16" 44 holes Soft
8295692111	150 mm (6") 5/16" 51 holes Medium + pad saver
8297692111	150 mm (6") 5/16" 52 holes Soft
8295486111	150 mm (6") 5/16" M8 Unipad 57 holes Medium + pad saver
8295494111	150 mm (6") 5/16" M8 Unipad 61 holes Medium + pad saver
8295495111	150 mm (6") 5/16" M8 Unipad 61 holes Hard + pad saver
8295895111	200 mm (8") Unipad 25 holes with 5 + 8 screw holes



Backing Pads, PSA

Code	Product
8294593311	32 mm (1 1/4") 1/4" no holes Soft packed 5 pcs/box
8295291111	150 mm (6") 5/16" no holes Medium
8295291211	150 mm (6") 5/16" 6 holes Medium




- > BACKING PADS
- > INTERFACE
- > PAD SAVER STRIPS




Backing Pads

Code	Product	Thickness	Features
8295340111	75 x 100 mm (3 x 4")	33 holes	Velcro + Pad Saver
8295350111	81 x 133 mm (3 x 5")	54 holes	Velcro + Pad Saver
8295380111	70 x 198 mm (3 x 8")	56 holes	Velcro + Pad Saver



8295340111



8295350111



8295380111

Interface

Code	Product	Thickness	Holes	Packaging
8299101011	75 x 100 mm (3 x 4")	7 mm	33 holes	packed 5 pcs/bag
8299501011	81 x 133 mm (3 x 5")	7 mm	54 holes	packed 5 pcs/bag
8299701011	70 x 198 mm (3 x 8")	7 mm	56 holes	packed 5 pcs/bag



8299101011



8299501011




8299701011

Pad Saver Strips


Code	Product	Thickness	Packaging
8299102011	75 x 100 mm (3 x 4")	33 holes	packed 5 pcs/bag
8299502011	81 x 133 mm (3 x 5")	54 holes	packed 5 pcs/bag
8299702011	70 x 198 mm (3x 8")	56 holes	packed 5 pcs/bag.



8299102011



8299502011



8299702011



> PAD SAVER

The **Pad Saver disc** is designed to protect the backing pad from wear and tear, when sanding aggressively and continuously with net sanding discs. This cost effective Pad Saver disc positioned between the backing pad and sanding disc, should be changed regularly and will prolong the life of the backing pad. The **vacuum block disc** should be used if the vacuum dust extraction cannot be disconnected during wet sanding. The vacuum block disc protects your sander and dust extraction system, since it prevents moisture from entering the sander.

Pad Saver Discs

Code	Product		
8294710111	77 mm (3")	3 holes	packed 5 pcs/bag
8295510111	125 mm (5")	44 holes	packed 5 pcs/bag
8295511011	125 mm (5")	8/8+1 holes	packed 5 pcs/bag
8295611111	150 mm (6")	57 holes	packed 5 pcs/bag
8295610111	150 mm (6")	67 holes	packed 5 pcs/bag
8296810111	200 mm (8")	25 holes	packed 3 pcs/bag
8296712111	225 mm (8,8")	15 holes	packed 1 pcs/bag



Vacuum Block Discs

Code	Product		
8294720111	77 mm (3")	no holes	packed 5 pcs/bag
8295520111	125 mm (5")	no holes	packed 5 pcs/bag
8295620111	150 mm (6")	no holes	packed 5 pcs/bag



Pad Saver Strips

Code	Product		
8299702011	70 x 198 mm	56 holes	packed 5 pcs/bag
8299522011	70 x 400 mm	14 holes	packed 5 pcs/bag
8299402011	93 x 180 mm	76 holes	packed 5 pcs/bag
8299512011	115 x 230 mm	10 holes	packed 5 pcs/bag



> INTERFACE

The 5, 7 or 10 mm thick **Interface pad** is used in combination with hook & loop sanding discs for sanding rounded surfaces and contours. Using the Interface pad will also produce a softer result. The Interface pad is placed between the backing pad of the sanding machine and the sanding disc.



Interface

Code	Product	Thickness		
8295700511	77 mm (3")	7 mm	No holes	packed 5 pcs/bag
8295800511	125 mm (5")	7 mm	5 holes	packed 5 pcs/bag
8295900511	150 mm (6")	7 mm	No holes	packed 5 pcs/bag
8296000511	150 mm (6")	7 mm	15 holes	packed 5 pcs/bag



8295700511

8295800511

8295900511

8296000511

Multi Interface for net sanding

Code	Product	Thickness		
8294700111	77 mm (3")	5 mm	3 holes	packed 5 pcs/bag
8295550111	125 mm (5")	5 mm	44 holes	packed 5 pcs/bag
8295500111	125 mm (5")	10 mm	44 holes	packed 5 pcs/bag
8295650111	150 mm (6")	5 mm	67 holes	packed 5 pcs/bag
8295600111	150 mm (6")	10 mm	67 holes	packed 5 pcs/bag



8294700111

8295500111

8295550111

8295600111

8295650111

Interface for hand sanding blocks

Code	Product	Thickness		
8299601011	70 x 125 mm	7 mm	13 holes	packed 5 pcs/bag
8299701011	70 x 198 mm	7 mm	56 holes	packed 5 pcs/bag
8299901211	115 x 230 mm	7 mm	32 holes	packed 1 pcs/bag



8299601011

8299701011

8299901211



> HAND SANDING BLOCKS

These sanding blocks are especially designed for hand sanding with net products, but can also be used in combination with other velcro products. The hand sanding blocks are connected to a dust extraction system by hose to ensure dust-free sanding.

Hand Sanding Blocks

Code	Product
8391402011	Hand block • 70 x 125 mm • 13 holes
8391502011	Hand block • 70 x 198 mm • 22 holes
8391702011	Hand block • 115 x 230 mm • 32 holes
8391200111	Mirka® Handy • 80 x 230 mm 55 holes
8391100111	Hand file • 70 x 400 mm • 53 holes



8391402011



8391502011



8391702011



8391200111

Available in September 2011



8391100111

Accessories for Hand Sanding Blocks



Hose 20 mm x 4 m
Code: 8391112011



Hose adapter 20/28 mm
Code: 8391111111



Hose swivel adapter 20/20 mm
Code: 8993022011



Hose swivel adapter 20/25,4 mm
Code: 8993022911



Curved Pads for Hand Sanding Blocks

Code	Product
8391415011	70 x 125 mm 13 holes 22 mm height
8391515011	70 x 198 mm 22 holes 22 mm height



8391415011



8391515011

Two-handed Sanding Blocks

Code	Product
8391980011	115 x 800 mm 47 holes Flexible
8391990011	115 x 800 mm 47 holes Hard



8391980011



8391990011



> DECOSANDER

The **DecoSander** telescopic sanding tool makes the sanding of walls and ceilings faster, more effective and dust-free. Dust is removed through the holes in the sanding tool straight to the vacuum cleaner. This makes the work faster because sanding is now easier and no time has to be spent on protecting the surroundings from dust.

DecoSander package content:

Code	Product	
8393000111	Antistatic Telescopic tube with sanding tool	1 pcs
	Antistatic Hose • 25, 4 / 32 mm x 4 m	1 pcs
	Abranet – sanding strips • 70 x 198 mm • #120	3 pcs
	Adapter	1 pcs

The telescopic tube and hose are antistatic in order to eliminate sparks and flashovers.



DecoSander accessories

Code	Product	
8393001411	Antistatic Hose • 25, 4 / 32 mm x 4 m	1 pcs
8393001511	Adapter	1 pcs



> DRYWALL SANDERS

The sanding machine with a long neck for walls and ceilings. The Miro 955/955-S sanding machine has been developed to get the best possible result when sanding filler on walls and ceilings. The Miro 955/955-S is well designed and easy to use.



MIRO 955 Drywall Sander and 955-S Short Drywall Sander 225 mm

Technical data	MIRO 955-S	
Code	8394000111	8394200111
Voltage	230 V / 50 Hz	230 V / 50 Hz
No load speed	650 – 1600/min	650 – 1600/min
Full load speed	280 – 950/min	280 – 950/min
Power input	550 W	550 W
Soundlevel L _{PA}	91 dB	91 dB
Soundlevel L _{wa}	108 dB	108 dB
Net weight	4,7 kg	3,7 kg
Hand-Arm-Vibration	3,2 m/s ²	3,2 m/s ²
Disc diameter	225 mm	225 mm
Warranty	12 months	12 months
Neck length:	1,5 m	1,0 m

Miro 955 package contains:

MIRO 955 Drywall Sander 225 mm
 Vacuum cleaner hose 4 m
 Bail handle
 Sanding plate base 225 mm 16 holes
 Interface 225 mm 8 + 1 holes medium
 1 pcs Abranet disc 225 mm grit 120
 Instruction manual
 Transport bag + 6 pcs velcro straps

Miro 955-S package contains:

MIRO 955-S Short Drywall Sander 225 mm
 Vacuum cleaner hose 4 m
 Bail handle
 Sanding plate base 225 mm 16 holes
 Interface 225 mm 8 + 1 holes medium
 1 pcs Abranet disc 225 mm grit 120
 Instruction manual
 Transport bag + 6 pcs velcro straps





Miro accessories



Vacuum hose 4 m
Code: 8394010311



Bail handle
Code: 8394019911



Hose protection device
Code: 8394018811



Sanding plate base 16 holes
Code: 8394018511



Sanding plate cover
Code: 8394016311



Harness
Code: 8394040011



Hook for harness
Code: 8394041011



Pad Saver 225 mm 15 holes
Code: 829671211



Interface 225 mm 8 + 1 holes medium
Code: 8394018611



Interface 225 mm 8 + 1 holes hard
Code: 8394018711



Transport bag
Code: 8394020011

For more information about spare parts for our Miro machines, please visit www.mirka.com

> ELECTRIC POLISHERS

The Mirka polisher is electrically driven with a high torque motor. The spindle lock makes the pad change easy. The polisher is equipped with steepless switch and preselection of rotational speed, which makes it possible to achieve optimal speed when polishing.



Electric Polishers PS1437 150 mm (6") and PS1524 180 mm (7")

Code	Mirka® PS1437	Mirka® PS1524
Code	8991300111	8991400111
Voltage	230 V	230 V
Power Consumption	1400 W	1500 W
Speed	1100 – 3700 rpm	80 – 2400 rpm
Thread	M14	M14
Sound level	84 dB	83 dB
Weight	1,9 kg	3,3 kg

Pad not included.

PS 1437 is delivered in a cardboard box.

PS 1524 is delivered in a plastic box.

Both models includes a bail handle and a side handle.



PS1437



PS1524



Polisher accessories

Code	Product
8991424611	Bail handle kit for PS 1524



For more information about spare parts for our polishers, please visit www.mirka.com.



Two-handed Random Orbital Polishers 77 mm (3"), 125 mm (5")

Technical data	Mirka® ROP2-312NV	Mirka® ROP2-512NV
Code	8994210311	8994220311
Size	77 mm (3")	125 mm (5")
Orbit	12,0 mm	12,0 mm
Speed	10,000 rpm	10,000 rpm
Air Consumption LPM	594	594
Power	343 W	343 W
Weight	1,18 kg	1,23 kg
Backing pad	77 mm (3") velcro ¼"	125 mm (5") Velcro 5/16"



ROP2-312NV



ROP2-512NV



Two-handed Rotary Polisher 77 mm (3")

Technical data	Mirka® RP2-300NV
Code	899420311
Size	77 mm (3")
Speed	3,000 rpm
Air Consumption LPM	594
Power	343 W
Weight	960 g
Backing pad	77 mm (3") velcro ¼"



RP2-300NV



Backing Pads Polishing, Velcro

Code	Product	
8297300111	77 mm (3")	M14 Hard
8297301011	77 mm (3")	M14 Soft
8297800111	125 mm (5")	M14 Hard
8297801011	125 mm (5")	M14 Soft
8298000111	150 mm (6")	M14 Hard
8298100111	150 mm (6")	M14 Soft
8298300111	150 mm (6")	W5/8 Hard
8297902011	135 mm (5,5")	M14 Soft
8298402011	165 mm (6,5")	M14 Soft
8298800111	175 mm (7")	M14



> POLISHING PRODUCTS

Mirka has a complete range of polishing products including polishing compounds, polishing and backing pads. The products are suitable for polishing within automotive refinishing as well as vehicle and marine industries.

For more detailed information and updates on new products, please visit www.mirka.com



Polishing products





- > SOFT SANDING PADS
- > DRY GUIDE COAT
- > SPONTAPE

Soft Sanding Pads

Code	Product
8791150110	115 x 140mm / 5mm thick 60 / Medium
8791150111	120 / Fine
8791150115	220 / Super Fine
8791150118	400 / Ultra Fine
8791150112	600 / Micro Fine



Dry Guide Coat

Code	Product
9193500111	Handblock + Guide coat 100 g, black For light color surfaces
9193600111	Handblock + Guide coat 100 g, white For dark color surfaces



Spontape

Code	Product
6751355111	13 mm x 55 m
6751745111	17 mm x 45 m





Files

Code	Product		
7871100111	Hard metal files for denibbing	20 x 42 mm	coarse/fine
7872000111	Shark blade	48 x 28 mm	



7871100111



7872000111




Tools for Roses

Code	Product			
8392000111	2 pcs	Firm model	31/35 mm	PSA/Velcro
8392100111	2 pcs	Soft model	31/31 mm	PSA/Velcro



8392000111



8392100111



- > HAND PADS
- > TOOLS FOR HAND SANDING

Hand Pads

Code	Product	
8390320111	145 mm, velcro	5 pcs/bag
8390340111	115 x 140 mm, velcro	5 pcs/bag
8390311011	150 mm, velcro	



8390320111



8390340111



8390311011

Tools for Hand Sanding

Code	Product		
8392201011	Handblock	128 x 63 x 16 mm	
8392102011	Dome pad Soft	77 mm Velcro Center hole 22 mm	
8392102111	Dome pad Ergo	77 mm Velcro Center hole 22 mm	
8390330111	Handblock	73 x 78 x 148 mm	for 150 mm velcro disc



8392201011



8392102011



8392102111



8390330111

KWH Mirka Ltd

Pensalavägen 210
FI-66850 Jeppo
Finland
Tel. +358 20 760 2111
Telefax +358 20 760 2290
www.mirka.com
sales@mirka.com

Mirka (UK) Ltd

Saxon House
Shirwell Crescent, Furzton Lake
Milton Keynes MK4 1GA
United Kingdom
Tel. +44 1908 375 533
Telefax +44 1908 376 611
sales.uk@mirka.com

Mirka Schleifmittel GmbH

Otto-Volger-Straße 1a
65843 Sulzbach
Germany
Tel. +49 6196 7616-0
Telefax +49 6196 7616-149
info@mirka.de

Mirka Abrasives Inc.

7950 Bavaria Road
Twinsburg, Ohio 44087
USA
Tel. +1 330 963 6421
Telefax +1 330 963 6427
www.mirka.com

Mirka Scandinavia AB

(Sweden, Norway, Denmark)
Frögatan 9
SE-653 43 Karlstad
Sweden
Tel. +46 54 690 950
Telefax +46 54 854 834
sales.se@mirka.com

Mirka Abrasifs s.a.r.l.

Centre Atria,
2 Allée Bienvenue
FR-93885 Noisy-le-Grand Cedex
France
Tel. +33 1 4305 4800
Telefax +33 1 4305 6208
ventes.fr@mirka.com

Mirka Italia s.r.l.

Via Toscana, 20
IT-62014 Corridonia (MC)
Italy
Tel. +39 0733 207511
Telefax +39 0733 207550
info@mirkaitalia.com
www.mirkaitalia.com

KWH Mirka Ibérica S.A.U.

Industria 16-18
ES-08740 Sant Andreu de
la Barca (Barcelona)
Spain
Tel. +34 93 682 09 62
Telefax +34 93 682 11 99
mirkaiberica@mirka.com

www.mirka.com

KWH Mirka Mexicana S.A. de C.V.

Edificio Corporativo Puente Ancona,
Carretera México-Toluca No 5631
Interior 119, Oficina 7,
Delegación Cuajimalpa,
C.P.: 05000, México, D.F.
Tel. +52 55 5148 3212
Fax. +52 55 5148 3211
ventas.mx@mirka.com
www.mirka.com.mx

Mirka Brasil Ltda.

Av. Ver. José Diniz, 3725 – cj.32
São Paulo – SP –
Brasil – 04603-004
Tel. +55 11 5543 3639
Fax +55 11 5543 3698
SAC +55 11 3637 5492 (LIXA)
vendas.br@mirka.com

Mirka Asia Pacific Pte Ltd

10 Anson Road
#28-05A International Plaza
Singapore 079903
Tel. +65 6733 5422
Telefax +65 6735 2185
sales.sg@mirka.com

Mirka Trading Shanghai Co., Ltd

Suite 1007B
Shenergy International Building
1 Fuxing Rd.
Shanghai 200021
China
Tel. +86 21 6390 0018
Telefax +86 21 6390 0008
sales.cn@mirka.com

Mirka Rus LLC

Obukhovskoy oborony pr., 271
192012 Saint-Petersburg
Russia
Tel. +7 812 640 27 77
Tel/fax +7 812 633 35 83
sales.ru@mirka.com

Mirka Abrasives Canada Inc.

7-841 Sydney Street, suite 308
Cornwall
Ontario, K6H 7L2
Canada
Tel. +1 330 963 6421
Telefax +1 330 963 6427
sales.ca@mirka.com

Mirka India Pvt Ltd

Ground Floor
460, F.I.E. Patparganj Industrial Area,
Delhi-110092
India
Tel: +91 11 4949 3333
sales.in@mirka.com



Quality from start to finish