

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 05/03/2015 Revision date: : Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : S2001
Product group : Ancillaries

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

U-POL LIMITED Denington Road

NN8 2QH Wellingborough - UK

T +44 (0) 1933 230310 - F +44 (0) 1933 425797 technical.department@u-pol.com - www.u-pol.com

#### 1.4. Emergency telephone number

Emergency number : +44 1933 230310 (07:30 - 17:00hrs UK time)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Skin Irrit. 2 H315
STOT SE 3 H336
Asp. Tox. 1 H304
Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xn; R65 Xi; R38 N; R51/53 R66 R67

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Signal word (CLP)

Hazardous ingredients

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02







GHS

: Danger

: HYDROCARBONS, C7-C9 N-ALKANES, ISOALKANES, CYCLICS

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

17/03/2015 EN (English) SDS Ref.: S2001 1/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P261 - Avoid breathing spray, vapours P273 - Avoid release to the environment

P280 - Wear face protection, protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water

P312 - Call a doctor if you feel unwell

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
HYDROCARBONS, C7-C9 N-ALKANES, ISOALKANES, CYCLICS	(EC no) 920-750-0 (REACH-no) 01-2119473851-33	>= 83	F; R11 Xn; R65 N; R51/53 R66 R67
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HYDROCARBONS, C7-C9 N-ALKANES, ISOALKANES, CYCLICS	(EC no) 920-750-0 (REACH-no) 01-2119473851-33	>= 83	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of R- and H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash

with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Repeated exposure may

cause skin dryness or cracking.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

17/03/2015 EN (English) SDS Ref.: S2001 2/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smokina.

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Protective clothing. Gloves.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing spray, vapours.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain leaking substance. Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Avoid breathing spray,

vapours. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical, Lighting equipment

equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Ignition sources,

Heat sources, Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep in fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : < 25 °C

Storage area : Store in a well-ventilated place. Special rules on packaging : Keep only in original container.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

17/03/2015 EN (English) SDS Ref.: S2001 3/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Materials for protective clothing : Impermeable clothing
Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. Wear respiratory protection

Other information : Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Liquid.Colour: Colourless.Odour: aromatic.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available

Melting point : 20 °C

Freezing point : No data available

Boiling point :  $110 \,^{\circ}\text{C}$ Flash point :  $1 \,^{\circ}\text{C}$ 

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 0.695 - 0.745

Solubility : Immiscible with water.

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

 VOC content
 : 720 g/l

 VOC content - Actual
 : 720 g/l

 VOC content - Regulatory
 : 720 g/l

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

17/03/2015 EN (English) SDS Ref.: S2001 4/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated : Not classified

exposure)

Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

#### S2001

Persistence and degradability May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

#### S2001

Bioaccumulative potential Not established.

#### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Additional information : Avoid release to the environment

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to Remove waste in accordance with local and/or national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

 UN-No. (ADR)
 : 1263

 UN-No. (IMDG)
 : 1263

 UN-No.(IATA)
 : 1263

 UN-No.(ADN)
 : 1263

 UN-No. (RID)
 : 1263

17/03/2015 EN (English) SDS Ref.: S2001 5/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : PAINT RELATED MATERIAL Proper Shipping Name (IMDG) : PAINT RELATED MATERIAL

Proper Shipping Name (IATA) : Paint

Proper Shipping Name (ADN) : PAINT RELATED MATERIAL Proper Shipping Name (RID) : PAINT RELATED MATERIAL

Transport document description (ADR)

1. UN 1263 PAINT RELATED MATERIAL, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS

1. UN 1263 PAINT RELATED MATERIAL, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

1. UN 1263 PAINT RELATED MATERIAL, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



## IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



17/03/2015 EN (English) SDS Ref.: S2001 6/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### **Packing group** 14.4.

: II Packing group (ADR) Packing group (IMDG) : II : 11 Packing group (IATA) : II Packing group (ADN) : II Packing group (RID)

#### **Environmental hazards**

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

#### Special precautions for user 14.6.

#### 14.6.1. **Overland transport**

: F1 Classification code (ADR)

Special provisions (ADR) : 163, 640C, 650

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E2 Packing instructions (ADR) : P001 Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP8, TP28

Tank code (ADR) : L1.5BN Vehicle for tank carriage : FL Transport category (ADR) : 2 Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 1263

Tunnel restriction code (ADR) : D/E EAC code : •3YE

#### 14.6.2. Transport by sea

Special provisions (IMDG) : 163 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4

: TP1, TP8, TP28 Tank special provisions (IMDG)

: F-E EmS-No. (Fire) : S-E EmS-No. (Spillage) Stowage category (IMDG)

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

## 14.6.3. Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L

17/03/2015 SDS Ref.: S2001 7/9 EN (English)

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Special provisions (IATA) : A3, A72 ERG code (IATA) : 3L

#### 14.6.4. Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 64C, 65

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Carriage prohibited (ADN) : No

Not subject to ADN : No

#### 14.6.5. Rail transport

Classification code (RID) : F1

Special provisions (RID) : 163, 640C, 650

Limited quantities (RID) : 5L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Special packing provisions (RID) : PP1

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special

: TP1, TP8, TP28

provisions (RID)

Tank codes for RID tanks (RID) : L1.5BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33
Carriage prohibited (RID) : No

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

S2001 is not on the REACH Candidate List

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 720 g/l

Seveso Information : This product is subject to the Seveso Directive

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

17/03/2015 EN (English) SDS Ref.: S2001 8/9

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### Full text of R-, H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
R11	Highly flammable
R38	Irritating to skin
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

#### UPOL SDS EU (no product code)

For professional use only.

The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.

17/03/2015 EN (English) SDS Ref.: S2001 9/9