(in accordance with Regulation (EU) 2015/830)

# 390007700000-IRUFIRE PRIMER IAP-1 AQUA



**IRURENA**GROUP

Page 1 of 10 Print date: 16/10/2020

Revision date: 16/10/2020 Print

### SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Version: 12

Product Name: IRUFIRE PRIMER IAP-1 AQUA

#### 1.2 Relevant identified uses of the mixture and uses advised against.

Coating material for different surfaces

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: Industrías Químicas Irurena, S.A.

Address: Ctra. de Tolosa, s/nº. Apdo. 30

City: 20730 Azpeitia
Province: Gipuzkoa
Telephone: 943 15 70 99
Fax: 943 81 09 11

E-mail: irurena@irurenagroup.com Web: http://www.irurenagroup.com

1.4 Emergency telephone number: 915 620 420 (Inst.Toxicologia) (Available 24 hours)

### **SECTION 2: HAZARDS IDENTIFICATION.**

#### 2.1 Classification of the mixture.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

### 2.2 Label elements.

Not classified as dangerous mixture according to EU 1272/2008

**EUH statements:** 

EUH210 Safety data sheet available on request.

### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification No 127	
Identifiers	Name	Concentrate	Classification	specific concentration limit

(in accordance with Regulation (EU) 2015/830)

# 390007700000-IRUFIRE PRIMER IAP-1 AQUA



**IRURENAGROUP** 

Page 2 of 10

Version: 12 Revision date: 16/10/2020 Print date: 16/10/2020

Index No: 603-001- 00-X CAS No: 67-56-1 EC No: 200-659-6 Registration No: 01- 2119433307-44-XXXX	[1] methanol	0.1 - 3 %	Acute Tox. 3 *, H311 - Acute Tox. 3 *, H331 - Acute Tox. 3 *, H301 - Flam. Liq. 2, H225 - STOT SE 1, H370 **	STOT SE 1, H370: C ≥ 10 % STOT SE 2, H371: 3 % ≤ C < 10 %
-----------------------------------------------------------------------------------------------------------------	--------------	-----------	-----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eve contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

### Skin contact.

Remove contaminated clothing.

### Ingestion.

Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### **SECTION 5: FIREFIGHTING MEASURES.**

### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the mixture.

### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

During a fire and depending on its magnitude the following may occur:

- NOx (nitrogen oxides).

<sup>\*\*</sup> See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

<sup>[1]</sup> Substance with a Community workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2015/830)

## 390007700000-IRUFIRE PRIMER IAP-1 AQUA



IRURENAGROUP

Page 3 of 10 Print date: 16/10/2020

Version: 12

Revision date: 16/10/2020

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

### 6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures.

As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and  $35^{\circ}$  C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

..

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
methanol	67-56-1	European	Eight hours	200 (skin)	260 (skin)

(in accordance with Regulation (EU) 2015/830)

# 390007700000-IRUFIRE PRIMER IAP-1 AQUA



**IRURENAGROUP** 

 Version: 12
 Page 4 of 10

 Revision date: 16/10/2020
 Print date: 16/10/2020

Union [1]	Short term		
United	Eight hours	200	266
Kingdom [2]	Short term	250	333
Éire [3]	Eight hours	200	260
ciie [3]	Short term		
United States	Eight hours	200	
[4] (Cal/OSHA)	Short term	250 (Ceiling) 1000	
United States	Eight hours	200	
[5] (NIOSH)	Short term	250	
United States	Eight hours	200	260
[6] (OSHA)	Short term		

<sup>[1]</sup> According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
	DNEL	Inhalation, Long-term, Local effects	260
	(Workers)		(mg/m³)
	DNEL (General	Inhalation, Long-term, Local effects	50
	population)		(mg/m³)
	DNEL	Inhalation, Long-term, Systemic effects	260
	(Workers)		(mg/m³)
methanol	DNEL (General	Inhalation, Long-term, Systemic effects	50
CAS No: 67-56-1	population)		(mg/m³)
EC No: 200-659-6	DNEL	Dermal, Long-term, Systemic effects	40 (mg/kg
LC No. 200-039-0	(Workers)		bw/day)
	DNEL (General	Dermal, Long-term, Systemic effects	8 (mg/kg
	population)		bw/day)
	DNEL	Dermal, Acute, Systemic effects	40 (mg/kg
	(Workers)		bw/day)
	DNEL (General	Dermal, Acute, Systemic effects	8 (mg/kg
	population)		bw/day)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	20,8 (mg/L)
	aqua (marine water)	2,08 (mg/L)
	aqua (intermittent releases)	1540 (mg/L)
methanol	STP	100 (mg/L)
CAS No: 67-56-1	sediment (freshwater)	77 (mg/kg
EC No: 200-659-6		sediment dw)
LC No. 200-039-0	sediment (marine water)	7,7 (mg/kg
		sediment dw)
	soil	3,18 (mg/kg
		soil dw)

<sup>[2]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

<sup>[3]</sup> According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

<sup>[4]</sup> California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[5]</sup> National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

<sup>[6]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

(in accordance with Regulation (EU) 2015/830)

## 390007700000-IRUFIRE PRIMER IAP-1 AQUA



**IRURENAGROUP** 

Page 5 of 10

Version: 12 Revision date: 16/10/2020 Print date: 16/10/2020

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Coating material for different surfaces
<b>Breathing protect</b>	ion:
If the recommended	l technical measures are observed, no individual protection equipment is necessary.
Hand protection:	
If the product is har	ndled correctly, no individual protection equipment is necessary.
Eye protection:	
If the product is har	ndled correctly, no individual protection equipment is necessary.
Skin protection:	
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should
Mairiteriance.	not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any
Observations.	injury resulting from an accident

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Appearance: Liquid with characteristic odour

Colour: See Technical Data Sheet

Odour: With solvent

Odour threshold: N.A./N.A.

pH:N.A./N.A.

Melting point: < 0 °C Boiling Point: 60 °C Flash point: > 60 °C Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: 0,8% Aprox. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: Bigger than the air

Relative density: 1.140 Solubility:In solvents Liposolubility: Miscible

Hydrosolubility: Partially miscible

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: > 200 °C

Decomposition temperature: > 200 (Catalyst 60 °C)°C

Viscosity: See Technical Data Sheet

Explosive properties: Not Explosive, but may form explosive mixtures with air

Oxidizing properties: Non-Oxidizing (Except Catalyst)

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

### 9.2 Other information.

Dropping point: N.A./N.A.

(in accordance with Regulation (EU) 2015/830)

## 390007700000-IRUFIRE PRIMER IAP-1 AQUA



IRURENAGROUP

Page 6 of 10 Print date: 16/10/2020

Version: 12 Revision date: 16/10/2020

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

### **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Unstable in contact with:

- Acids.
- Bases.
- Oxidizing agents.

#### 10.3 Possibility of hazardous reactions.

In certain conditions this may cause a polymerization reaction.

#### 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

### 10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases
- Oxidizing agents.

### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

### 11.1 Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Dermal) = 25.338 mg/kg

ATE (Oral) = 8.446 mg/kg

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

(in accordance with Regulation (EU) 2015/830)

# 390007700000-IRUFIRE PRIMER IAP-1 AQUA



IRURENAGROUP

Page 7 of 10 Print date: 16/10/2020

Version: 12

Revision date: 16/10/2020

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

### **SECTION 12: ECOLOGICAL INFORMATION.**

#### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
methanol		-0,74	_	_	Very low
CAS No: 67-56-1	EC No: 200-659-6	0,71			VCI y IOW

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

(in accordance with Regulation (EU) 2015/830)

# 390007700000-IRUFIRE PRIMER IAP-1 AQUA



IRURENAGROUP

Page 8 of 10 Print date: 16/10/2020

Version: 12

Revision date: 16/10/2020

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR: Transportation is not dangerous. IMDG: Transportation is not dangerous.

ICAO/IATA: Transportation is not dangerous.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

#### 14.4 Packing group.

Transportation is not dangerous.

### 14.5 Environmental hazards.

Transportation is not dangerous.

### 14.6 Special precautions for user.

Not applicable. Transportation is not dangerous.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

### **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC)

Product Subcategory (Directive 2004/42/EC): j - Two-pack reactive performance coatings for specific end use such as floors, water-borne

Phase I\* (from 01/01/2007): 140 g/l Phase II\* (from 01/01/2010): 140 g/l

(\*) g/l ready to use

VOC content (p/p): 1,273 % VOC content: 10 g/l

The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

(in accordance with Regulation (EU) 2015/830)

# 390007700000-IRUFIRE PRIMER IAP-1 AQUA



IRURENAGROUP

Page 9 of 10

Print date: 16/10/2020

## Version: 12

**Revision date: 16/10/2020** 

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed. H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs. H371 May cause damage to organs.

### Classification codes:

Acute Tox. 3: Acute toxicity (Dermal), Category 3
Acute Tox. 3: Acute toxicity (Inhalation), Category 3
Acute Tox. 3: Acute toxicity (Oral), Category 3
Flam. Liq. 2: Flammable liquid, Category 2

STOT SE 1: Specific target organ toxicity following a single exposure, Category 1

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is recommended that the product only be employed for the purposes advised.

Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
67-56-1	methanol	Registered

### Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

Log Pow: Logarithm of the partition octanol-water.

NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

(in accordance with Regulation (EU) 2015/830)

## 390007700000-IRUFIRE PRIMER IAP-1 AQUA



IRURENAGROUP

Page 10 of 10 Print date: 16/10/2020

Version: 12

Revision date: 16/10/2020

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/

Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.