## Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

# SAFETY DATA SHEET

AQUAVEX L PREMIER 021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: AQUAVEX L PREMIER 021
Product code	: 7400015

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	:	Paint or paint related material.
	:	Industrial use only.

1.3 Details of the supplier of the safety data sheet	National contact
Sherwin Williams UK Coatings Ltd. Knottingley, WF11 0BU, England	Sherwin Williams UK Coatings Ltd. Knottingley, WF11 0BU, England
e-mail address of person : ukinfo@sherwin.co responsible for this SDS	m

#### 1.4 Emergency telephone number

National advisory body/Poison Center		
Telephone number	: National Poisons Information Service +44 844 892 0111 / 112	
<u>Supplier</u>		
Telephone number	: +(44)1977 673 363 (08:30 - 17:00)	

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture		
Product definition	: Mixture	
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]	
Skin Irrit. 2, H315		
Eye Dam. 1, H318		

Aquatic Chronic 3, H412

*Human health hazards* : Irritating to eyes.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	: Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: Wear protective gloves. Wear eye or face protection. Avoid release to the environment.

#### **SECTION 2: Hazards identification**

Response	: IF IN EYES: Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or physician.
Storage	: Not applicable.
Disposal	<ul> <li>Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Hazardous ingredients	: Octylphosphonic Acid
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	nents
Not applicable.	
2 2 Other hererde	

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

#### **SECTION 3: Composition/information on ingredients**

:

3.2 Mixture

			<b>Classification</b>	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Aluminum	REACH #: 01-2119529243-45 EC: 231-072-3 CAS: 7429-90-5 Index: 013-002-00-1	≥75 - <90	Flam. Sol. 1, H228 Water-react. 2, H261	[2]
Polyoxyalkylene	CAS: 68603-25-8	≥10 - <25	Acute Tox. 4, H302 Eye Irrit. 2, H319	[1]
Octylphosphonic Acid	EC: 225-218-5 CAS: 4724-48-5	≥3 - <5	Skin Corr. 1B, H314 Eye Dam. 1, H318	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

4.1 Description of first aid r	neasures
General	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.</li> </ul>
Eye contact	<ul> <li>Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.</li> </ul>
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show this container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>
	If swallowed, rinse mouth with water (only if the person is conscious). Get immediate medical attention.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Recommended: alcohol-resistant foam, carbon dioxide, powders.
Unsuitable extinguishing media	: Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	5	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
		: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Date of issue/Date of revision	: 10, Jul, 2015.	Version : 1
--------------------------------	------------------	-------------

SECTION 5: Firefighting measures		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	
	Appropriate breathing apparatus may be required.	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.	
Special protective equipment for fire-fighters	: Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.	

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel		rces of ignition and ventilate the area. Avoid breathing vapor or mist. ective measures listed in sections 7 and 8.	
	eep unnece	essary and unprotected personnel from entering.	
For emergency responders	formation i	I clothing is required to deal with the spillage, take note of any n Section 8 on suitable and unsuitable materials. See also the n "For non-emergency personnel".	
6.2 Environmental precautions		to enter drains or watercourses. If the product contaminates lakes, vers, inform the appropriate authorities in accordance with local	
6.3 Methods and materials for containment and cleaning up	arth, vermio	collect spillage with non-combustible, absorbent material e.g. sand, culite or diatomaceous earth and place in container for disposal local regulations (see Section 13). Preferably clean with a detergent. solvents.	
6.4 Reference to other sections	ee Section	1 for emergency contact information. 8 for information on appropriate personal protective equipment. 13 for additional waste treatment information.	

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling	<ul> <li>Prevent the creation of flammable or explosive concentrations of vapors in air and avoid vapor concentrations higher than the occupational exposure limits. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.</li> <li>Operators should wear antistatic footwear and clothing and floors should be of the conducting type.</li> <li>Keep away from heat, sparks and flame. No sparking tools should be used. Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this mixture. Avoid inhalation of dust from sanding.</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.</li> <li>Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel.</li> <li>Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws.</li> <li>Do not allow to enter drains or watercourses.</li> <li>Information on fire and explosion protection</li> <li>Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air.</li> </ul>
--------------------------------------	--

#### **SECTION 7: Handling and storage**

7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. <b>Notes on joint storage</b> Keep away from: oxidizing agents, strong alkalis, strong acids. <b>Additional information on storage conditions</b> Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
	Contaminated absorbent material may pose the same hazard as the spilled product.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.

Industrial sector specific : solutions

Good housekeeping standards, regular safe removal of waste materials and regular maintenance of spray booth filters will minimise the risks of spontaneous combustion and other fire hazards.

Before use of this material please refer to the Exposure Scenario(s) if attached for the specific end use, control measures and additional PPE considerations.

#### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name		Exposure limit values	
Aluminum		EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction TWA: 4 mg/m <sup>3</sup> 8 hours. Form: Respirable dust	
Recommended monitoring procedures	<ul> <li>If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.</li> <li>Regular monitoring of all work areas should be carried out at all times, including areas that may not be equally ventilated.</li> </ul>		
DNELs/DMELs			
No DNELs/DMELs available.			
PNECs			
No PNECs available.			
8.2 Exposure controls			
Appropriate engineering controls	achieved by the these are not su	te ventilation. Where reasonably practicable, this should be use of local exhaust ventilation and good general extraction. If ifficient to maintain concentrations of particulates and solvent vapors suitable respiratory protection must be worn.	

## **SECTION 8: Exposure controls/personal protection**

	: Users are advised to consider national Occupational Exposure Limits or other equivalent values.
ndividual protection measu	ires
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Use safety eyewear designed to protect against splash of liquids.
Skin protection	
Hand protection	: Wear suitable gloves tested to EN374.
Gloves	: Short Term Exposure less than 10 minutes Continuous use Nitrile gloves. Hazardous ingredients Section 3 For more than 4 hours of protection in the presence of Butanone Acetone or Methyl isobutyl ketone Butyl gloves 0.7mm For more than 4 hours of protection in the presence of Aromatic solvent use polyvinyl alcohol (PVA) gloves.
	Long Term Exposure Spill / For prolonged or repeated handling, use PE / PE Laminate gloves > 8 hours (breakthrough time) .
	<ul> <li>There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.</li> <li>The breakthrough time must be greater than the end use time of the product.</li> <li>The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.</li> <li>Gloves should be replaced regularly and if there is any sign of damage to the glove material.</li> <li>Always ensure that gloves are free from defects and that they are stored and used correctly.</li> <li>The performance or effectiveness of the glove may be reduced by physical/chemica damage and poor maintenance.</li> <li>Barrier creams may help to protect the exposed areas of the skin but should not be</li> </ul>
	applied once exposure has occurred. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of
Body protection	<ul> <li>use, as included in the user's risk assessment.</li> <li>Personnel should wear antistatic clothing made of natural fibers or of high-temperature-resistant synthetic fibers.</li> </ul>
	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Approved/certified respirator with organic vapor cartridge. Filter type: A2P2 (EN14387).
Environmental exposure controls	: Do not allow to enter drains or watercourses.

Before use of this material please refer to the Exposure Scenario(s) if attached for the specific end use, control measures and additional PPE considerations.

## **SECTION 9: Physical and chemical properties**

9.1 Information o	on basic physical	and chemical	properties
-------------------	-------------------	--------------	------------

<u>Appearance</u>	
Physical state	: Solid.
Color	: Various
Odor	: Solvent.
Odor threshold	: Not Available (Not Tested).
рН	: Testing not technically possible.
Melting point/freezing point	: Not Available (Not Tested).

Date of issue/Date of revision	: 10, Jul, 2015.
--------------------------------	------------------

## **SECTION 9: Physical and chemical properties**

SECTION 9: Physical and chemical properties			
:	Not Available (Not Tested).		
:	Closed cup: 260°C		
:	Slower than Ether Phase		
:	Not Available (Not Tested).		
:	Not available.		
:	Not available.		
:	Not Available (Not Tested).		
:	Not Available (Not Tested).		
:	Not Available (Not Tested).		
:	2.09		
:	Not Available (Not Tested).		
:	Not Available (Not Tested).		
:	Not Available (Not Tested).		
:	Not Available (Not Tested).		
:	Not Available (Not Tested).		
:	Kinematic (room temperature): >0.205 cm²/s Kinematic (40°C): >0.205 cm²/s		
:	Not Available (Not Tested).		
:	Under normal conditions of storage and use, hazardous reactions will not occur.		

#### 9.2 Other information

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.		
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.		
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

## Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

There are no data available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with

Date of issue/Date of revision : 10, Jul, 2015.

## **SECTION 11: Toxicological information**

the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
No data available				

#### Acute toxicity estimates

Route	ATE value	
Oral	2941.2 mg/kg	

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Polyoxyalkylene	Eyes - Severe irritant	Rabbit		24 hours 100 microliters	-

#### **Sensitization**

No data available

#### **Mutagenicity**

No data available

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

No data available

#### **Teratogenicity**

No data available

#### Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
No data available			
Specific target organ toxicity (repeated exposure)			+
Dreduct/in and diant name	Catagony	Deute of	Terret errene

Product/ingredient name	Category	exposure	l'arget organs
No data available			

## Aspiration hazard

Product/ingredient name	Result
No data available	

Other information

: Not available.

#### SECTION 12: Ecological information

#### 12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

## **SECTION 12: Ecological information**

#### 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
No data available						
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
No data available						

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
No data available			

12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
Mobility	: Not available.
12.5 Results of PBT and vPv	/B assessment
PBT	: Not applicable.
vPvB	: Not applicable.
12.6 Other adverse effects	: No known significant effects or critical hazards.
	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
European waste catalogue (EWC)	: waste paint and varnish containing organic solvents or other dangerous substances 08 01 11*
Disposal considerations	<ul> <li>Do not allow to enter drains or watercourses.</li> <li>Dispose of according to all federal, state and local applicable regulations.</li> <li>If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.</li> <li>For further information, contact your local waste authority.</li> </ul>
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations	: Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.

#### **SECTION 13: Disposal considerations**

European waste catalogue (EWC) Contaminated packaging	:	Recycling possible. Ensure packaging is completely empty before recycling. Dispose of uncured residues in the same way as the product itself. Plastic articles 15 01 02 - metallic packaging 15 01 04 - mixed packaging 15 01 06. 15 01 10* packaging containing residues of or contaminated by dangerous substances
Special precautions	:	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aluminum)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aluminum). Marine pollutant (Aluminum)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aluminum)
14.3 Transport Hazard Class(es)/ Label(s)	9	9	9
14.4 Packing group	111	111	111
14.5 Environmental hazards	Yes.	Yes.	Yes.
Additional information	This product is not regulated as a dangerous good when transported in sizes of $\leq 5$ L or $\leq 5$ kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. Tunnel code (E)	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2. 6.1.1 and 5.0.2.8.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

: Not available. 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

## Annex XIV - List of substances subject to authorization Annex XIV None of the components are listed. Substances of very high concern None of the components are listed. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Other EU regulations Integrated pollution : Listed prevention and control list (IPPC) - Air National regulations Industrial use : The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work. Seveso Directive : This product is not controlled under the Seveso Directive.

**15.2 Chemical Safety**<br/>Assessment: This product contains substances for which Chemical Safety Assessments are still<br/>required.

## **SECTION 16: Other information**

Indicates information	that has changed from previously issued version.			
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.			
-	1272/2008]			
	DMEL = Derived Minimal Effect Level			
	DNEL = Derived No Effect Level			
	EUH statement = CLP-specific Hazard statement			
	PBT = Persistent, Bioaccumulative and Toxic			
	PNEC = Predicted No Effect Concentration			
	RRN = REACH Registration Number			
	vPvB = Very Persistent and Very Bioaccumulative			

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Chronic 3, H412	Calculation method

AQUAVEX L PREMIER 021						
SECTION 16: Other information						
Full text of abbreviated H statements	: H228 Flamm		able solid.			
statements	H261 In cont		act with water releases flammable gases.			
	H302 Harmfu		Il if swallowed.			
	H314	Causes severe skin burns and eye damage.				
	H315	Causes	s skin irritation.			
	H318	Causes	s serious eye damage.			
	H319	Causes	s serious eye irritation.			
Full text of classifications	H412 : Acute Tox. 4, H		Il to aquatic life with long lasting effects. ACUTE TOXICITY (oral) - Category 4			
[CLP/GHS]	Aquatic Chroni	c 3, H412	AQUATIC HAZARD (LONG-TERM) - Category 3			
	Eye Dam. 1, H	318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1			
	Eye Irrit. 2, H3 <sup>-</sup>	19	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2			
	Flam. Sol. 1, H	228	FLAMMABLE SOLIDS - Category 1			
	Skin Corr. 1B,	H314	SKIN CORROSION/IRRITATION - Category 1B			
	Skin Irrit. 2, H3	15	SKIN CORROSION/IRRITATION - Category 2			
	Water-react. 2,	H261	SUBSTANCES AND MIXTURES, WHICH IN CONTACT WITH WATER, EMIT FLAMMABLE GASES - Category 2			

PREPARATION OF SURFACES PRIOR TO FINISHING Special precautions should be taken during surface preparation of pre-1960s paint surfaces over wood or metal as they may contain harmful lead. Where possible, wet flatting methods or chemical strippers should be used to avoid the creation of dust. When dry flatting cannot be avoided and local exhaust ventilation is not available, a dust respirator to BS 2091, fitted with a particulate cartridge, and suitable for lead dust, should be worn.

People not involved with the work should be excluded from the area, until thorough cleaning has been carried out. Children and pregnant women should particularly be excluded.

Refer to the Control of Lead at Work Regulations regarding protective clothing and personal hygiene measures. Dusts should be contained and effectively and thoroughly cleaned up.

Date of printing	: 10, Jul, 2015.
Date of issue/ Date of revision	: 10, Jul, 2015.
Date of previous issue	: No previous validation.
	<ul> <li>If there is no previous validation date please contact your supplier for more information.</li> </ul>
Version	: 1
Notice to reader	

#### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.