## 390012300000-IRUFIRE FLOORING PRIMER IFAP-1 AQUA



Version 1Date of compilation: 2/12/2020Version 21 (replaces version 20)Revision date: 08/05/2022

Page 1 of 9 Print date: 08/05/2022

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

### 1.1 Product identifier.

Product Name:

**IRUFIRE FLOORING PRIMER IFAP-1 AQUA** 

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Coating material for different surfaces

### Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company:	Industrías Químicas Irurena, S.A.
Address:	Ctra. de Tolosa, s/nº. Apdo. 30
City:	20730 - Azpeitia
Province:	Gipuzkoa
Telephone:	943 15 70 99
E-mail:	irurena@irurenagroup.com
Web:	https://www.irurenagroup.com

1.4 Emergency telephone number: 915 620 420 (Inst. Toxicologia) (Available 24 hours)

### SECTION 2: HAZARDS IDENTIFICATION.

### 2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

### 2.2 Label elements.

Not classified as dangerous mixture according to EU 1272/2008

#### EUH statements: EUH210

UH210 Safety data sheet available on request.

### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			• •	Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	specific concentration limit	

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

## 390012300000-IRUFIRE FLOORING **PRIMER IFAP-1 AQUA**



Version 1 Date of compilation: 2/12/2020 Version 21 (replaces version 20) Revision date: 08/05/2022

Page 2 of 9 Print date: 08/05/2022

Index No: 603-014- 00-0 CAS No: 111-76-2 EC No: 203-905-0 Registration No: 01- 2119475108-36-XXXX	[1] 2-butoxyethanol,	1 - 10 %	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302 - Eye Irrit. 2, H319 - Skin Irrit. 2, H315	-
Index No: 603-096- 00-8 CAS No: 112-34-5 EC No: 203-961-6 Registration No: 01- 2119475104-44-XXXX	[1] 2-(2-butoxyethoxy)ethanol	1 - 10 %	Eye Irrit. 2, H319	-

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet. \* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a Community workplace exposure limit (see section 8.1).

### **SECTION 4: FIRST AID MEASURES.**

### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

### Eve contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

### Skin contact.

Remove contaminated clothing.

### Ingestion.

Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### SECTION 5: FIREFIGHTING MEASURES.

### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture. Special risks.

## 390012300000-IRUFIRE FLOORING PRIMER IFAP-1 AQUA

### Version 1 Date of compilation: 2/12/2020

Version 21 (replaces version 20) Revision date: 08/05/2022

IRURENAGROUP Page 3 of 9 Print date: 08/05/2022

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### SECTION 6: ACCIDENTAL RELEASE MEASURES.

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35 ° C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### 7.3 Specific end use(s).

..

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### 8.1 Control parameters.

Work exposure limit for:

390012300000-IRUFIRE FLOORING **PRIMER IFAP-1 AQUA** 



Version 1 Date of compilation: 2/12/2020 Version 21 (replaces version 20) Revision date: 08/05/2022

Page 4 of 9 Print date: 08/05/2022

Name	CAS No.	Country	Limit value	ppm	mg/m <sup>3</sup>
		European	Eight hours	20 (skin)	98 (skin)
		Union [1]	Short term	50 (skin)	246 (skin)
		United	<b>Eight hours</b>	25	123
		Kingdom [2]	Short term	50	246
		Éire [3]	Eight hours	20	98
2 hutovy othered	111-76-2	Elle [5]	Short term	50	246
2-butoxyethanol,	111-70-2	United States	Eight hours	20	
		[4] (Cal/OSHA)	Short term		
		United States	Eight hours	5	
		[5] (NIOSH)	Short term		
		United States	Eight hours	50	240
		[6] (OSHA)	Short term		
		European	Eight hours	10	67,5
		Union [1]	Short term	15	101,2
2-(2-butoxyethoxy)ethanol	112-34-5	United	Eight hours	10	67,5
	112-34-5	Kingdom [2]	Short term	15	101,2
		Éire [3]	Eight hours	10	67,5
			Short term	12	101,2

[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

[3] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health,

Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
2-butoxyethanol,	DNEL	Inhalation, Long-term, Systemic effects	98
CAS No: 111-76-2	(Workers)		(mg/m³)
EC No: 203-905-0	. ,		
	DNEL	Inhalation, Long-term, Local effects	67,5
2-(2-butoxyethoxy)ethanol	(Workers)		(mg/m <sup>3</sup> )
CAS No: 112-34-5	DNEL	Inhalation, Long-term, Systemic effects	67,5
EC No: 203-961-6	(Workers)		(mg/m <sup>3</sup> )

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

### Measures of a technical nature:

Concentration:	100 %		
Uses:	Coating material for different surfaces		
Breathing protection:			
If the recommended technical measures are observed, no individual protection equipment is necessary.			
Hand protection:			
If the product is har	dled correctly, no individual protection equipment is necessary.		
Eye protection:			
If the product is har	dled correctly, no individual protection equipment is necessary.		

## 390012300000-IRUFIRE FLOORING PRIMER IFAP-1 AQUA



Version 1Date of compilation: 2/12/2020Version 21 (replaces version 20)Revision date: 08/05/2022

Page 5 of 9 Print date: 08/05/2022

Skin protection:	
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Appearance: Liquid with characteristic odour Colour: RE Odour: With solvent Odour threshold:N.A./N.A. pH:N.A./N.A. Melting point: < 0 °C Boiling Point: 60 °C Flash point: > 60 °C Evaporation rate: N.A./N.A. Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: 0.8% Aprox. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density:Bigger than the air Relative density:1.090 Solubility:In solvents Liposolubility: Miscible Hydrosolubility: Partially miscible Partition coefficient (n-octanol/water): N.A./N.A. Auto-ignition temperature: > 200 °C Decomposition temperature: > 200 (Catalyst 60 °C)°C Viscosity: See Technical Data Sheet Explosive properties: Not Explosive, but may form explosive mixtures with air Oxidizing properties: Non-Oxidizing (Except Catalyst)

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

### 9.2 Other information.

Dropping point: N.A./N.A. Blink: N.A./N.A. Kinematic viscosity: N.A./N.A. N.A./N.A.= Not Available/Not Applicable due to the nature of the product

### SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

## 390012300000-IRUFIRE FLOORING PRIMER IFAP-1 AQUA



### Version 1 Date of compilation: 2/12/2020

Version 21 (replaces version 20) Revision date: 08/05/2022

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### **10.6 Hazardous decomposition products.**

No decomposition if used for the intended uses.

### SECTION 11: TOXICOLOGICAL INFORMATION.

2-butoxyethanol and its acetate are easily absorbed by the skin and can cause noxious effects to the kidneys.

#### 11.1 Information on toxicological effects.

There are no tested data available on the product.

a) acute toxicity; Not conclusive data for classification.

Acute Toxicity Estimate (ATE): Mixtures: ATE (Dermal) = 36.667 mg/kg ATE (Oral) = 16.667 mg/kg

b) skin corrosion/irritation; Based on available data, the classification criteria are not met.

c) serious eye damage/irritation; Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation; Not conclusive data for classification.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Not conclusive data for classification.

h) STOT-single exposure; Not conclusive data for classification.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

### SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

## 390012300000-IRUFIRE FLOORING PRIMER IFAP-1 AQUA



## Version 1Date of compilation: 2/12/2020Version 21 (replaces version 20)Revision date: 08/05/2022

No information is available regarding the biodegradability of the substances present. No information is available on the degradability of the substances present.No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

### Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
2-butoxyethanol,					Maria
CAS No: 111-76-2	EC No: 203-905-0	0,8	-	-	Very low
2-(2-butoxyethoxy)ethano	l	0.56			Vonclow
CAS No: 112-34-5	EC No: 203-961-6	0,56	-	-	Very low

### 12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

### 14.1 UN number.

Transportation is not dangerous.

### 14.2 UN proper shipping name.

 Description:

 ADR:
 Not classified as hazardous for transport.

 IMDG:
 Not classified as hazardous for transport.

 ICAO/IATA:
 Not classified as hazardous for transport.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

### 14.4 Packing group.

Transportation is not dangerous.

## 390012300000-IRUFIRE FLOORING **PRIMER IFAP-1 AQUA**



Date of compilation: 2/12/2020 Version 1 Version 21 (replaces version 20) Revision date: 08/05/2022

Page 8 of 9 Print date: 08/05/2022

### 14.5 Environmental hazards.

Transportation is not dangerous.

### 14.6 Special precautions for user.

Transportation is not dangerous.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

### SECTION 15: REGULATORY INFORMATION.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC) Product Subcategory (Directive 2004/42/EC): j - Two-pack reactive performance coatings for specific end use such as floors, water-borne Phase I\* (from 01/01/2007): 140 g/l Phase II\* (from 01/01/2010): 140 g/l (\*) g/l ready to use

VOC content (p/p): 5,378 % VOC content: 96 g/l

The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

- Harmful in contact with skin. H312
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- Harmful if inhaled. H332

Classification codes:

Acute Tox. 4 : Acute toxicity (Dermal), Category 4 Acute Tox. 4 : Acute toxicity (Inhalation), Category 4 Acute Tox. 4 : Acute toxicity (Oral), Category 4 Eye Irrit. 2 : Eye irritation, Category 2 Skin Irrit. 2 : Skin irritant, Category 2

## 390012300000-IRUFIRE FLOORING **PRIMER IFAP-1 AQUA**



Date of compilation: 2/12/2020 Version 1 Version 21 (replaces version 20) Revision date: 08/05/2022

Page 9 of 9 Print date: 08/05/2022

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1 177 / 2000 [CI D]

12/2/2000 [CLP]:	
Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is recommended that the product only be employed for the purposes advised.

### Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
111-76-2	2-butoxyethanol,	Registered
112-34-5	2-(2-butoxyethoxy)ethanol	Registered

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not
- anticipated. EC50: Half maximal effective concentration.

PPE: Personal protection equipment.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

Log Pow: Logarithm of the partition octanol-water.

NOEC: No observed effect concentration.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.