

# SPRAY FINISHING

for the craftsman



**movac**  
the solution provider



**movac**  
the solution provider



**movac** group  
the solution provider limited

**M**OVAC are a long established, family owned firm, currently in its third generation. As one of the largest independent UK based coating suppliers, we have three divisions serving the Automotive, Wood and Industrial markets. We only supply premium brand paints and associated products, backed up by an outstanding quality service; this ensures that all of our customers are given a real choice based on performance, longevity and value.

In a rapidly evolving market, Movac are continually adapting to ensure that customers are offered the products needed to be competitive in the marketplace, our aim is to be the best partner for your business. An integral part of this adaptation is our alignment with numerous strategic partners to ensure we offer the best products and services to our customers. A recent part of this alignment is our partnership with Aristospray, who are the fastest growing independent supplier of paint spraying equipment and consumables to the industrial and decorative trade dealers in the UK and Ireland.

This brochure is a result of this partnership, and gives an overview in one publication of the products offered. It is not intended to be exhaustive, but rather to give an indication of what is available. Undoubtedly there will be products not shown that you do have a requirement for, should this be the case please do not hesitate to ask and by drawing on the expertise that we are now linked up to, we are confident that we will be able to meet your requirements.

### **The Movac Mission Statement**

*"To be our customer's first choice for their business in terms of the levels of service, support and quality of products that we supply"*

4/5

AIR-ASSISTED OR  
AIRLESS?

6/7

**NEW!** Q-TECH Q7  
AIR-ASSISTED  
SPRAY GUN

8/9

Q-TECH  
PNEUMATIC AIR-  
ASSISTED PUMPS

10

Q-TECH ELECTRIC  
AIR-ASSISTED  
PUMP

11/12

AIR-ASSISTED  
SPRAY TIPS

13

PNEUMATIC  
DOUBLE  
DIAPHRAGM PUMP

14

PRONA  
INDUSTRIAL SPRAY  
GUN

15

Q-TECH  
PNEUMATIC  
AIRLESS PUMP

16/17

Q-TECH  
ELECTRIC  
AIRLESS PUMPS

18/19

TRITECH AIRLESS  
SPRAY GUN,  
TIPS & GUARD

20/21

Q-TECH  
FILTERS

22

Q-TECH  
PAINT SPRAY  
HOSE

23

Q-TECH  
MAINTENANCE  
FLUIDS



	Q-AA20 Pneumatic Air-Assisted	Q-AA30 Pneumatic Air-Assisted	Q-PA023 Electric Air-Assisted
APPLICATION	Fine finish for wood working industry etc	Fine finish for wood working industry etc	On-site where fine finish is required
POWER SUPPLY	External compressor	External compressor	110 volt single phase / integral compressor
MAX FLOW LITRES PER MINUTE	3.0	6.0	2.9
MAX WORKING PRESSURE	157 bar   2275 psi	235 bar   3400 psi	225 bar   3260 psi
RECOMMENDED GUN	Q-Tech Q7	Q-Tech Q7	Q-Tech Q7

# AIR-ASSISTED OR AIRLESS?



Q-DD36 Pneumatic Double Diaphragm	Q-A68 Pneumatic Airless	Q-P021 Electric Airless	Q-P025 Electric Airless
Detailed wood finishing / commercial vehicles / trailers etc	Large surfaces - metal constructions, storage tanks, boats etc	Base coats / decorative finishes	Base coats / decorative finishes
External compressor	External compressor	110 volt single phase	110 volt single phase
36.0	11.0	2.1	2.9
8.3 bar   120 psi	450 bar   6530 psi	207 bar   3000 psi	207 bar   3000 psi
Prona R200 HTE	TriTech T720 Maxx	TriTech T360 Contractor	TriTech T360 Contractor

## Totally new. And totally different. Why?


Unlike any other air-assisted gun available in today's market the air caps on the Q7 are interchangeable. You want to carry on using Graco tips? Go right ahead. Or Kremlin? No problem.

## It's simple.

Just specify the appropriate air cap when purchasing the gun, and it's ready for use with the tips of your choice.

## The Q7. Only from Q-Tech.





Air Assisted  
**SprayGun**



# Q-Tech **Q-AA20**

## PNEUMATIC AIR-ASSISTED PUMP

### SUPPLIED COMPLETE WITH

---

Dashboard control panel

---

Gravity tank or suction feed

---

7.5m twin welded hose assembly

---

Q7 air-assisted spray gun

---

Choice of aircap & tip to fit Graco

---

Kremlin or Q-Tech guns

---

### SPECIFICATION

Flow **Up to 3.0 ltr/min | 22cc/cycle**  
 Max tip **0.027"**  
 MWP **157 bar | 2275 psi**  
 Air consumption **20.0 cfm**  
 Pump ratio **20:1**  
 Weight **15 kg**

### PRODUCT CODE

**Q-AA20**

---

### USE TO SPRAY

All types of water and solvent based base, top and clear coats - suitable for a variety of wood finishing and industrial coating applications.





# Q-Tech **Q-AA30** PNEUMATIC AIR-ASSISTED PUMP



## SUPPLIED COMPLETE WITH

- Dashboard control panel
- Gravity tank or suction feed
- 7.5m twin welded hose assembly
- Q7 air-assisted spray gun
- Choice of aircap & tip to fit Graco  
Kremlin or Q-Tech guns

## SPECIFICATION

- Flow **Up to 6.0 ltr/min | 55cc/cycle**  
 Max tip **0.033"**  
 MWP **235 bar | 3400 psi**  
 Air consumption **29.0 cfm**  
 Pump ratio **30:1**  
 Weight **26 kg**

## PRODUCT CODE

**Q-AA30**

## USE TO SPRAY

All types of water and solvent based base, top and clear coats - suitable for a variety of wood finishing and industrial coating applications.

Q-Tech **Q-PA023**

# ELECTRIC AIR-ASSISTED PUMP

## SUPPLIED COMPLETE WITH

- 5ltr gravity tank
- 7.5m twin welded hose assembly
- Q7 air-assisted spray gun
- Integral compressor
- Choice of aircap & tip to fit Graco
- Kremlin or Q-Tech guns

## SPECIFICATION

- Flow **Up to 2.9 ltr/min**
- Max tip **0.025"**
- MWP **225 bar | 3260 psi**
- Motor **110 volt | 1300 watt**
- Weight **70 kg**

## PRODUCT CODE

**QPA023-110**

## USE TO SPRAY

All types of water and solvent based base, top and clear coats  
- suitable for a variety of wood finishing and industrial coating applications.

Includes built-in compressor - it's all ready to go!



Graco &amp; Kremlin (type)

# AIR ASSISTED SPRAY TIPS

Orifice	Graco GG4/GG5 (type) Air Assisted Tip				Flow litres/min
	Fan width 12" from surface				
	4" - 6"	6" - 8"	8" - 10"	10" - 12"	
0.009"	GGN-209	GGN-309	GGN-409	GGN-509	0.34
0.011"	GGN-211	GGN-311	GGN-411	GGN-511	0.45
0.013"	GGN-213	GGN-313	GGN-413	GGN-513	0.68
0.015"	GGN-215	GGN-315	GGN-415	GGN-515	0.91
0.017"		GGN-317	GGN-417	GGN-517	1.17
0.019"		GGN-319	GGN-419		1.44
0.021"			GGN-421		1.75
0.023"			GGN-423		2.16
0.025"			GGN-425		2.54
0.027"			GGN-427		2.80



Graco GG4/GG5  
Air Assisted Tip



Kremlin 2-Groove  
Air Assisted Tip

Orifice	Kremlin 2 Groove (type) Air Assisted Tip						Flow litres/min
	Fan width 12" from surface						
	4" - 6"	6" - 8"	8" - 10"	10" - 12"	12" - 14"	14" - 16"	
0.009"				KNN-509 (04-114)			0.34
0.011"	KNN-211 (06-034)	KNN-311 (06-074)	KNN-411 (06-094)	KNN-511 (06-114)	KNN-611 (06-154)		0.45
0.013"	KNN-213 (09-034)	KNN-313 (09-074)	KNN-413 (09-094)	KNN-513 (09-114)	KNN-613 (09-154)		0.68
0.015"		KNN-315 (12-074)	KNN-415 (12-094)	KNN-515 (12-114)	KNN-615 (12-154)		0.91
0.016"		KNN-316 (14-074)	KNN-416 (14-094)	KNN-516 (14-114)	KNN-616 (14-154)	KNN-716 (14-174)	1.17

**Aircap VX14**  
Use with ATX, AVX,  
AXC & MVX guns  
**KN1001**

Other aircaps available -  
please enquire

Optima & Wagner (type)

# AIR ASSISTED SPRAY TIPS



Optima Standard  
Air Assisted Tip

Standard Aircap  
**001240-U2**

Orifice	Optima Standard (type) Air Assisted Tip					Flow litres/min
	Fan width 12" from surface					
	4" - 6"	6" - 8"	8" - 10"	10" - 12"	12" - 14"	
0.007"	U10-207	U10-307	U10-407			0.19
0.009"	U10-209	U10-309	U10-409	U10-509	U10-609	0.34
0.011"	U10-211	U10-311	U10-411	U10-511	U10-611	0.45
0.013"	U10-213	U10-313	U10-413	U10-513	U10-613	0.68
0.015"	U10-215	U10-315	U10-415	U10-515	U10-615	0.91
0.017"	U10-217	U10-317	U10-417	U10-517	U10-617	1.17

Add **001240-** to product code to order e.g. 001240-U10-207



Wagner 0379  
Air Assisted Tip

Aircap Blue HV  
Use with AC4600  
& GM300 AC guns  
**WA1004**

Orifice	Wagner 0379 (type) Air Assisted Tip						Flow litres/min
	Fan width 12" from surface						
	2" - 4"	4" - 6"	6" - 8"	8" - 10"	10" - 12"	12" - 14"	
0.007"	WA-107 (0379-107)	WA-207 (0379-207)		WA-407 (0379-407)			0.19
0.009"		WA-209 (0379-209)	WA-309 (0379-309)	WA-409 (0379-409)	WA-509 (0379-509)	WA-609 (0379-609)	0.34
0.011"	WA-111 (0379-111)	WA-211 (0379-211)	WA-311 (0379-311)	WA-411 (0379-411)	WA-511 (0379-511)	WA-611 (0379-611)	0.45
0.013"	WA-113 (0379-113)	WA-213 (0379-213)	WA-313 (0379-313)	WA-413 (0379-413)	WA-513 (0379-513)	WA-613 (0379-613)	0.68
0.015"	WA-115 (0379-115)	WA-215 (0379-215)	WA-315 (0379-315)	WA-415 (0379-415)	WA-515 (0379-515)	WA-615 (0379-615)	0.91
0.017"		WA-217 (0379-217)	WA-317 (0379-317)	WA-417 (0379-417)	WA-517 (0379-517)	WA-617 (0379-617)	1.17
0.019"		WA-219 (0379-219)	WA-319 (0379-319)	WA-419 (0379-419)	WA-519 (0379-519)	WA-619 (0379-619)	1.44
0.021"		WA-221 (0379-221)	WA-321 (0379-321)	WA-421 (0379-421)	WA-521 (0379-521)	WA-621 (0379-621)	1.78

Other aircaps available -  
please enquire

# Q-Tech **Q-DD36**

## PNEUMATIC DOUBLE DIAPHRAGM PUMP

### SUPPLIED COMPLETE WITH

---

High boy trolley

---

Wall bracket - for use without trolley

---

Suction system or gravity tank

---

Fluid regulator

---

Manifold pulsation chamber

---

### SPECIFICATION

Flow **Up to 36.0 ltr/min**

Fluid inlet/outlet **3/8" PT**

Air inlet **1/4" PT**

Max air supply pressure **8.3 bar | 120 psi**

Max air consumption **7.0 cfm**

Weight **18 kg**

### PRODUCT CODES

---

**Q-DD36H** Suction feed | illustrated

---

**Q-DD36G** Gravity feed

---


### USE TO SPRAY

All types of water and solvent based base, top and clear coats - suitable for a variety of wood finishing and industrial coating applications.



# Prona **R200 HTE**

## INDUSTRIAL SPRAY GUN



### SPECIFICATION

Nozzle **0.8mm - 2.5mm**  
 Output **240ml/min - 440ml/min**  
 Fluid inlet **3/8" BSP**  
 Air inlet **1/4" BSP**

### PRODUCT CODES

0.8mm 400 ml/min	<b>R200 08 P</b>
1.0mm 400 ml/min	<b>R200 10 P</b>
1.2mm 500 ml/min	<b>R200 12 P</b>
1.5mm 240 ml/min	<b>R200 15 P</b>
1.8mm 270 ml/min	<b>R200 18 P</b>
2.0mm 350 ml/min	<b>R200 20 P</b>
2.5mm 440 ml/min	<b>R200 25 P</b>

Conventional spray gun for use with pressurised systems.

# Q-Tech **Q-A68** PNEUMATIC AIRLESS PUMP



## SUPPLIED COMPLETE WITH

15m 2-wire hose assembly

TriTech T720 Maxx airless spray gun

TriTech Maxx airless tip & guard

## SPECIFICATION

Flow **Up to 11.0 ltr/min | 180cc/cycle**

Max tip **0.052"**

MWP **450 bar | 6530 psi**

Air consumption **90.0 cfm**

Pump ratio **68:1**

Weight **112 kg**

## PRODUCT CODE

**Q-A68**

## USE TO SPRAY

All types of water and solvent based base, top & clear coats suitable for a variety of wood finishing and industrial coating applications including 2-packs.

# Q-Tech **Q-P021**

## ELECTRIC AIRLESS PUMP

### SUPPLIED COMPLETE WITH

15m textile braided hose assembly

TriTech T360 airless spray gun

TriTech airless tip & guard

### SPECIFICATION

Flow **Up to 2.1 ltr/min**

Max tip **0.021"**

MWP **207 bar | 3000 psi**

Motor **110 volt | 1000 watt**

Weight **25 kg**

### PRODUCT CODE

**QP021-110**

### USE TO SPRAY

All types of water and solvent based base, top and clear coats - particularly ideal for on-site applications.





# Q-Tech **Q-P025** ELECTRIC AIRLESS PUMP

## SUPPLIED COMPLETE WITH

15m textile braided hose assembly

TriTech T360 airless spray gun

TriTech airless tip & guard

## SPECIFICATION

Flow **Up to 2.9 ltr/min**

Max tip **0.025"**

MWP **207 bar | 3000 psi**

Motor **110 volt | 1300 watt**

Weight **35 kg**

## PRODUCT CODE

**QPO25-110**

## USE TO SPRAY

All types of water and solvent based base, top and clear coats - particularly ideal for on-site applications and where larger areas need coating.



# TriTech **T720 & T360** **AIRLESS PAINT** **SPRAY GUNS**

## SUPPLIED COMPLETE WITH

TriTech 517 airless tip & guard

Q-Tech gun pencil filter

360° swivel

## SPECIFICATION

TriTech **T720 Maxx**

MWP **500 bar | 7200 psi**

Guard Thread **7/8" | 11/16"**

Fluid Inlet **1/4" NPS**

TriTech **T360 Contractor**

MWP **250 bar | 3600 psi**

Guard Thread **7/8" | 11/16"**

Fluid Inlet **1/4" NPS**

## PRODUCT CODES

T720 7/8" | 4-finger **506-150**

T720 11/16" | 4-finger **506-151**

T360 7/8" | 4-finger **503-150**

T360 11/16" | 4-finger **503-151**



T720

T360

Designed and manufactured 100% in the USA to the highest specification, these superb guns are compatible for use with all leading makes of airless spray pumps including Airlessco, Graco, Titan and Wagner.

# TriTech **Maxx & Contractor** AIRLESS PAINT SPRAY TIPS & GUARDS

Orifice	TriTech <b>Maxx(QCM) &amp; Contractor(QC)</b> Airless Spray Tip							Flow litres/min
	Fan width 10" from surface							
	2" - 4"	4" - 6"	6" - 8"	8" - 10"	10"-12"	12"-14"	14"-16"	
0.007"	107							0.19
0.009"	109	209	309	409				0.34
0.011"	111	211	311	411	511			0.45
0.013"	113	213	313	413	513			0.68
0.015"	115	215	315	415	515	615	715	0.91
0.017"	117	217	317	417	517	617	717	1.17
0.019"		219	319	419	519	619	719	1.44
0.021"		221	321	421	521	621	721	1.78
0.023"			323	423	523	623	723	2.16
0.025"			325	425	525	625	725	2.54
0.027"			327	427	527	627	727	2.80
0.029"			329	429	529	629	729	3.41
0.031"			331	431	531	631	731	3.90

Designed and manufactured 100% in the USA to the highest specification, this superb tip and guard system is suitable for use with all leading makes of airless spray pumps including Airlessco, Graco, Titan and Wagner.



**Maxx Guard**  
7/8" **QGM-999**  
11/16" **QGM-998**



**Contractor Guard**  
7/8" **QG-999** | 11/16" **QG-998**

TriTech **Maxx**  
**Airless Paint Spray Tip**

**USE WITH T720 GUN**  
MWP **500 bar** | **7200 psi**  
Prefix size required from table with **QCM-**

TriTech **Contractor**  
**Airless Paint Spray Tip**

**USE WITH T360 GUN**  
MWP **350 bar** | **5000 psi**  
Prefix size required from table with **QC**



# Q-Tech FILTERS

## PENCIL FILTER | Q-TECH/TRITECH TYPE

30 mesh | green **QF0501030**

50 mesh | white **QF0501050**

65 mesh | black **QF0501065**

100 mesh | yellow **QF0501100**

150 mesh | blue **QF0501150**

200 mesh | red **QF0501200**



## STAINLESS STEEL PENCIL FILTER HOUSING | UNIVERSAL

1/4" BSP [M] x 1/4" BSP [F]

Straight **QF0560001** Cranked **QF0560004**

3/8" BSP [M] x 1/4" BSP [F]

Straight **QF0560002** Cranked **QF0560005**

3/8" BSP [M] x 3/8" BSP [F]

Straight **QF0560003** Cranked **QF0560006**

M16x1.5 [M] x 3/8" BSP [F]

Straight **QF0560007** Cranked **QF0560008**



## STAINLESS STEEL SUCTION FILTER 15 MESH | UNIVERSAL

1" thread **QF0535015A**


1/2" thread **QF0535015B**

3/4" thread **QF0535015C**

3/8" thread **QF0535015D**

15 x 1 thread **QF0535015E**

28 x 1.5 thread **QF0535015F**



Stainless steel suction filters also available in 30 & 60 mesh - all threads as listed

# Q-Tech FILTERS



## MANIFOLD FILTER | GRACO/Q-TECH TYPE

27mm x 144mm | Wide range of sizes available

15 mesh **QF0507015**

30 mesh **QF0507030**

60 mesh **QF0507060**

100 mesh **QF0507100**



## MANIFOLD FILTER | KREMLIN TYPE

30 mesh | #20 **QF0510030**

60 mesh | #9 **QF0510060**

100 mesh | #5 **QF0510100**

200 mesh | #2 **QF0510200**

## STAINLESS STEEL DISC TIP FILTER | GRACO TYPE

60 mesh **QF0525060**

100 mesh **QF0525100**

200 mesh **QF0525200**



## MICRO TIP FILTER | KREMLIN TYPE

260 micron | 75 mesh **QF0529075**

140 micron | 100 mesh **QF0529100**

99 micron | 140 mesh **QF0529140**

## TIP FILTER SIEVES | KREMLIN TYPE

50 mesh **QF0527050**

85 mesh **QF0527085**

100 mesh **QF0527100**

140 mesh **QF0527140**

Q-Tech

# PAINT SPRAY HOSE



## AIR ASSISTED TWIN WELDED PAINT SPRAY HOSE

SPECIFICATION | 3/16" FLUID HOSE

**Nylon 12 + braided fibre + polyurethane**

MWP **250 bar** | **3628 psi**


Temperature Range **-40°C - +93°C**

SPECIFICATION | 3/16" AIR HOSE

**Polyethylene + polyurethane**

MWP **20 bar** | **290 psi**

Temperature Range **-10°C - +60°C**



## AIR ASSISTED TWIN NON-WELDED PAINT SPRAY HOSE

SPECIFICATION | 1/4" FLUID HOSE

**Nylon 12 + braided steel + polyurethane**

MWP **325 bar** | **4716 psi**


Temperature Range **-40°C - +93°C**

SPECIFICATION | 1/4" AIR HOSE

**Nylon 12 + polyurethane**

MWP **10 bar** | **145 psi**

Temperature Range **-15°C - +60°C**



## LOW PRESSURE TWIN WELDED PAINT SPRAY HOSE

SPECIFICATION | 1/4" FLUID HOSE

**Nylon 12 + polyurethane**

MWP **10 bar** | **145 psi**

Temperature Range **-40°C - +93°C**

SPECIFICATION | 1/4" AIR HOSE

**Polyethylene + polyurethane**

MWP **10 bar** | **145 psi**

Temperature Range **-10°C - +60°C**

# Q-Tech MAINTENANCE FLUIDS



## Q-Tector **PUMP CONDITIONER**

Cleans the  
complete system

Effective  
down to -32°C

Suitable for  
use in all makes  
of pumps

946ml **Q400-010**

3.8ltr **Q400-011**

## Q-Lube **PISTON LUBRICANT**

Use in  
the wet cup of a  
piston pump

Prevents paint  
from drying

Reduces  
premature wear  
and tear

273ml **Q400-005**

946ml **Q400-006**

# WHERE TO FIND US

## **CAMBRIDGE**

Units 3-4, Saxon Way, Melbourn, Royston, Hertfordshire SG8 6DN

**T** 0844 561 0064 **F** 0844 561 0065 **E** [cambridge.depot@movac.com](mailto:cambridge.depot@movac.com)

## **COVENTRY**

Unit 19, Bilton Industrial Estate, Humber Avenue, Coventry CV3 1JL

**T** 0844 381 4281 **F** 0844 381 4282 **E** [coventry.depot@movac.com](mailto:coventry.depot@movac.com)

## **IPSWICH**

11 Portman Road, Ipswich, Suffolk IP1 2BP

**T** 0844 561 0068 **F** 0844 561 0069 **E** [ipswich.depot@movac.com](mailto:ipswich.depot@movac.com)

## **NORWICH**

37 Concorde Road, Norwich, Norfolk NR6 6BE

**T** 0844 561 0066 **F** 0844 561 0067 **E** [norwich.depot@movac.com](mailto:norwich.depot@movac.com)

## **NOTTINGHAM**

Unit G, Blenheim Industrial Estate, Bulwell, Nottingham NG6 8YP

**T** 0844 381 4283 **F** 0844 381 4284 **E** [nottingham.depot@movac.com](mailto:nottingham.depot@movac.com)

## **PETERBOROUGH**

326 Padholme Road East, Peterborough PE1 5XL

**T** 0844 561 6484 **F** 0844 561 6485 **E** [peterborough.depot@movac.com](mailto:peterborough.depot@movac.com)

## **READING**

Unit 23, Anglo Industrial Park, Fishponds Rd, Wokingham RG41 2AN

**T** 0844 381 4285 **F** 0844 381 4286 **E** [reading.depot@movac.com](mailto:reading.depot@movac.com)

## **ROMFORD**

21 Bates Road, Harold Wood, Romford, Essex RM3 0JH

**T** 0844 561 0062 **F** 0844 561 0063 **E** [romford.depot@movac.com](mailto:romford.depot@movac.com)

